


SURTECH 512

A non-foaming surfactant with excellent detergent properties

Surtech 512 is a non-foaming modified nonionic surfactant designed to provide highly effective oily soil removal in spray cleaning metals and transportation equipment. It exhibits very low surface tension, and rapid wetting of metals and other surfaces.



SC_{of}F

Typical Properties

| | |
|----------------------|----------------------------------|
| Appearance: | colorless to light yellow liquid |
| Active: | 100% |
| Specific Gravity: | 0.90 – 0.95 |
| Weight/Gallon: | 7.8 lbs. |
| pH at 10%: | 10 – 12 |
| Amine Value: | 85 – 90 |
| % Volatiles: | 20% |
| Solubility in Water: | dispersible |
| Boiling Point: | 159°C |

Handling Precautions

SURTECH 512 is corrosive. Rubber gloves, safety goggles, body-protective clothing and shoes are also required. Eye-wash fountains and safety showers in the work area are required. See the **SURTECH 512** Material Safety Data Sheet for detailed health and safety information.

The information given herein is correct to the best of our knowledge. However, no warranty is expressed or implied regarding its accuracy or the results to be obtained from the use thereof and users should make their own tests to determine the suitability of these products for their own particular purpose. No statement in this brochure/leaflet is intended or should be construed as a recommendation to infringe any existing patent.

Surface Chemists of Florida, Inc.
1303 Park Lane South • Jupiter, FL 33458
Tel. (561) 745-8774 • Fax (561) 745-8737
www.surfacechemists.com